

File Listing Contents
(each line below is a clickable link to the file listing)

Updated for AWIPS Build OB13.5

Slide 5:

Excerpt from `cave/plugins/com.raytheon.uf.viz.d2d.ui*.*/plugin.xml` (Volume Menu)

Slide 6:

Excerpt from `cave/plugins/com.raytheon.viz.volumebrowser_*/plugin.xml`

`cave/plugins/com.raytheon.uf.viz.cloudheight_*/localization/menus/popupSkewT/index.xml`
[CAVE ► Menus ► popupSkewT ► index.xml]

`cave/plugins/com.raytheon.uf.viz.cloudheight_*/localization/menus/popupSkewT/popupSkewT.xml`
[CAVE ► Menus ► popupSkewT ► popupSkewT.xml]

`cave/plugins/com.raytheon.viz.volumebrowser_*/localization/menus/volume/index.xml`
[CAVE ► Menus ► volume ► index.xml]

Slide 8:

`cave/plugins/com.raytheon.viz.volumebrowser_*/localization/menus/volume/baseFamilies.xml`
[CAVE ► Menus ► volume ► basefamilies.xml]

`/awips2/cave/etc/bundles/volume/DefaultFamily.xml`
[CAVE► Bundles► volume► DefaultFamily.xml]

Slide 9:

`/awips2/cave/etc/bundles/StationPlot.xml`
[CAVE► Bundles► StationPlot.xml]

`/awips2/cave/etc/plotModels/stdObsDesign.svg`
[D2D ► Plot Models ► stdObsDesign.svg]

Slide 10:

Excerpt from `d2dContourStyleRules.xml`
[CAVE ► Style Rules ► d2dImageryStyleRules.xml]

Excerpt from `gridImageryStyleRules.xml`
[CAVE ► Style Rules ► gridImageryStyleRules.xml]

Excerpt from `radarImageryStyleRules.xml`
[CAVE ► Style Rules ► radarImageryStyleRules.xml]

Excerpt from cave/plugins/com.raytheon.uf.viz.d2d.ui*/plugin.xml
(Volume Menu: Slide 5)

```
<command
    commandId="com.raytheon.viz.ui.setbackgroundcolor"
    label="Set Background Color...">
</command>
</menu>
<menu
    id="tools"
    label="Tools"
    mnemonic="T">
<visibleWhen>
    <reference
        definitionId="com.raytheon.uf.viz.d2d.ui.inD2DActionSet">
    </reference>
</visibleWhen>
<separator
    name="tools.start"
    visible="false">
</separator>
<separator
    name="D2D.Tools.Additions"
    visible="false">
</separator>
</menu>
<menu
    id="volume"
    label="Volume"
    mnemonic="V">
<visibleWhen>
    <reference
        definitionId="com.raytheon.uf.viz.d2d.ui.inD2DActionSet">
    </reference>
</visibleWhen>
<separator name="top" visible="false"/>
</menu>
<menu
    id="obs"
    label="Obs"
    mnemonic="O">
<visibleWhen>
    <reference
        definitionId="com.raytheon.uf.viz.d2d.ui.inD2DActionSet">
    </reference>
</visibleWhen>
<separator
    name="SURFACE"
    visible="false">
</separator>
<separator
    name="EndOfInitial"
    visible="true">
</separator>
<command
    commandId="com.raytheon.viz.ui.actions.titleAction"
    label="----- METAR -----">
</command>
<separator
```

```
    name="METAR"
    visible="false">
</separator>
```

**Excerpt from
cave/plugins/com.raytheon.viz.volumebrowser_*/plugin.xml
(Slide 6)**

```
<extension
    point="org.eclipse.ui_menus">
    <menuContribution
        locationURI="menu:volume?after=top">
        <command
            commandId="com.raytheon.viz.volumebrowser.volumeBrowserRef"
            label="Browser...">
        </command>
        <separator name="afterVB" visible="false"/>
        <separator name="VolumeBundles" visible="true"/>
        <separator name="ComparisonFamilies" visible="true"/>
        <separator name="SurfaceFamilies" visible="false"/>
        <separator name="StdEnvDataPackageFamilies" visible="true"/>
    </menuContribution>
</extension>
</plugin>
```

**cave/plugins/com.raytheon.uf.viz.cloudheight_*/
localization/menus/popupSkewT/index.xml**

**Localization Perspective: CAVE▶Menus▶popupSkewT▶index.xml
(Slide 6)**

```
<menuContributionFile>
    <include installTo="menu:volume?after=afterVB"
        fileName="menus/popupSkewT/popupSkewT.xml">
    </include>
</menuContributionFile>
```

**cave/plugins/com.raytheon.uf.viz.cloudheight_*/
localization/menus/popupSkewT/popupSkewT.xml**

**Localization Perspective:
CAVE▶Menus▶popupSkewT▶popupSkewT.xml
(Slide 6)**

```
<menuTemplate xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <contribute xsi:type="bundleItem" file="bundles/popupSkewTBundle.xml"
        menuText="Popup SkewT" id="popupSkewT" timeQuery="false">
    </contribute>
</menuTemplate>
```

**cave/plugins/com.raytheon.viz.volumebrowser_*/localization/
menus/volume/index.xml**

**Localization Perspective: CAVE▶Menus▶volume▶index.xml
(Slide 6)**

```
<menuContributionFile>
    <substitute key="DGEXmodel" value="DGEX185" />
    <substitute key="GFSmodel" value="GFS213" />
    <substitute key="NAM12model" value="ETA218" />
    <substitute key="NAM40model" value="mesoEta212" />
    <substitute key="ARWmodel1" value="HiResW-ARW-East" />
    <substitute key="ARWmodel2" value="HiResW-ARW-West" />
    <substitute key="MMMmodel1" value="HiResW-NMM-East" />
    <substitute key="MMMmodel2" value="HiResW-NMM-West" />
    <substitute key="RAP13model" value="RUC130" />
    <substitute key="RAPmodel" value="RUC236" />
    <include installTo="menu:volume?after=VolumeBundles"
        fileName="menus/volume/baseFamilies.xml">
    </include>
    <include installTo="menu:volume?before=VolumeBundles"
        fileName="menus/volume/ModelFamilies.xml">
    </include>
    <include subMenu="4-PanelFamilies"
        installTo="menu:volume?before=ComparisonFamilies"
        fileName="menus/volume/baseFourPanelFamilies.xml">
    </include>
    <include installTo="menu:volume?after=ComparisonFamilies"
        fileName="menus/volume/baseComparisonFamilies.xml">
    </include>
```

```
<include subMenu="Surface Families"
         installTo="menu:volume?after=SurfaceFamilies"
         fileName="menus/volume/baseSurfaceFamilies.xml">
</include>
<include installTo="menu:volume?after=StdEnvDataPackageFamilies"
         fileName="menus/volume/baseStdEnvPackage.xml">
</include>
</menuContributionFile>
```

**cave/plugins/com.raytheon.viz.volumebrowser_*/localization/
menus/volume/baseFamilies.xml**

**Localization Perspective:
CAVE►Menus►volume►baseFamilies.xml**

(Slide 8)

```
<menuTemplate xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <contribute xsi:type="titleItem" titleText="----- Families -----"
        id="FamiliesLine" />
    <contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
        menuText="DGEX" id="dgex" useReferenceTime="true">
        <substitute key="modelName" value="${DGEXmodel}" />
        <substitute key="TP" value="TP" />
        <substitute key="frameCount" value="18" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/ECMWFHiRes.xml"
        menuText="ECMWF-HiRes" id="ecmwfHiRes" useReferenceTime="true">
        <substitute key="TP" value="TP" />
        <substitute key="frameCount" value="41" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/ECMWFLowRes.xml"
        menuText="ECMWF-LowRes" id="ecmwfLowRes" useReferenceTime="true">
        <substitute key="TP" value="TP" />
        <substitute key="frameCount" value="8" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
        menuText="GFS40" id="gfs40" useReferenceTime="true">
        <substitute key="modelName" value="GFS212" />
        <substitute key="TP" value="TP" />
        <substitute key="frameCount" value="41" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
        menuText="GFS" id="gfs90" useReferenceTime="true">
        <substitute key="modelName" value="${GFSmodel}" />
        <substitute key="TP" value="TP" />
        <substitute key="frameCount" value="41" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/LimitedFamily.xml"
        menuText="${ARWmodel1}" id="arwEast" useReferenceTime="true"
        suppressErrors="${ARWsuppress1;false}">
        <substitute key="modelName" value="${ARWmodel1}" />
        <substitute key="frameCount" value="17" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/LimitedFamily.xml"
        menuText="${ARWmodel2}" id="arwWest" useReferenceTime="true"
        suppressErrors="${ARWsuppress2;false}">
        <substitute key="modelName" value="${ARWmodel2}" />
        <substitute key="frameCount" value="17" />
    </contribute>
    <contribute xsi:type="bundleItem" file="bundles/volume/LimitedFamily.xml"
        menuText="${MMModel1}" id="mmEast" useReferenceTime="true"
        suppressErrors="${MMsuppress1;false}">
```

```

<substitute key="modelName" value="${MMMmodel1}" />
<substitute key="frameCount" value="17" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/LimitedFamily.xml"
    menuText="${MMModel2}" id="mmmWest" useReferenceTime="true"
    suppressErrors="${MMModel2};false;">
    <substitute key="modelName" value="${MMModel2}" />
    <substitute key="frameCount" value="17" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
    menuText="NAM12" id="nam12" useReferenceTime="true">
    <substitute key="modelName" value="${NAM12model}" />
    <substitute key="TP" value="TP3hr" />
    <substitute key="frameCount" value="29" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
    menuText="NAM40" id="nam40" useReferenceTime="true">
    <substitute key="modelName" value="${NAM40model}" />
    <substitute key="TP" value="TP3hr" />
    <substitute key="frameCount" value="29" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
    menuText="NAM80" id="nam80" useReferenceTime="true">
    <substitute key="modelName" value="ETA" />
    <substitute key="TP" value="TP6hr" />
    <substitute key="frameCount" value="15" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
    menuText="RAP13" id="rap13" useReferenceTime="true">
    <substitute key="modelName" value="${RAP13model}" />
    <substitute key="TP" value="TP3hr" />
    <substitute key="frameCount" value="19" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/DefaultFamily.xml"
    menuText="RAP40" id="rap" useReferenceTime="true">
    <substitute key="modelName" value="${RAPmodel}" />
    <substitute key="TP" value="TP3hr" />
    <substitute key="frameCount" value="9" />
</contribute>
<contribute xsi:type="bundleItem" file="bundles/volume/UKMET.xml"
    menuText="UKMET" id="ukmet" useReferenceTime="true">
    <substitute key="TP" value="TP6hr" />
    <substitute key="frameCount" value="15" />
</contribute>
</menuTemplate>

```

/awips2/cave/etc/bundles/volume/DefaultFamily.xml

Localization Perspective: CAVE▶Bundles▶volume▶DefaultFamily.xml

(Slide 8)

```
<bundle xmlns:ns2="group">
    <displayList>
        <displays xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="d2DMapRenderableDisplay" scale="CONUS" density="1.0"
magnification="1.0" zoomLevel="1.0" mapCenter="-79.09835514095181 33.915979250804455 0.0">
            <descriptor xsi:type="mapDescriptor">

                <resource>
                    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
                        <capabilities>
                            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
                        </capabilities>
                        <resourceType>PLAN_VIEW</resourceType>
                    </loadProperties>
                    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="true">
                        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
                    </properties>
                    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
                        <metadataMap>
                            <mapping key="info.parameter.abbreviation">
                                <constraint constraintValue="GH" constraintType="EQUALS"/>
                            </mapping>
                            <mapping key="info.datasetId">
                                <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
                            </mapping>
                            <mapping key="info.Level.Leveltwovalue">
                                <constraint constraintValue="-999999" constraintType="EQUALS" />
                            </mapping>
                            <mapping key="pluginName">
                                <constraint constraintValue="grid" constraintType="EQUALS"/>
                            </mapping>
                            <mapping key="info.Level.masterLevel.name">
                                <constraint constraintValue="MB" constraintType="EQUALS"/>
                            </mapping>
                            <mapping key="info.Level.Levelonevalue">
                                <constraint constraintValue="500.0" constraintType="EQUALS"/>
                            </mapping>
                        </metadataMap>
                        <alertParser xsi:type="dataCubeAlertMessageParser"/>
                    </resourceData>
                </resource>
            </displays>
        </displayList>
    </bundle>
```

```

<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="true">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>
    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
        <metadataMap>
            <mapping key="info.parameter.abbreviation">
                <constraint constraintValue="AV" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.datasetId">
                <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Leveltwovalue">
                <constraint constraintValue="-999999" constraintType="EQUALS"/>
            </mapping>
            <mapping key="pluginName">
                <constraint constraintValue="grid" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.masterLevel.name">
                <constraint constraintValue="MB" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Levelonevalue">
                <constraint constraintValue="500.0" constraintType="EQUALS"/>
            </mapping>
        </metadataMap>
        <alertParser xsi:type="dataCubeAlertMessageParser"/>
    </resourceData>
</resource>
<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>
    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
        <metadataMap>
            <mapping key="info.parameter.abbreviation">

```

```

        <constraint constraintValue="msL-P" constraintType="EQUALS"/>
    </mapping>
    <mapping key="info.datasetId">
        <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
    </mapping>
    <mapping key="pluginName">
        <constraint constraintValue="grid" constraintType="EQUALS"/>
    </mapping>
    <mapping key="info.Level.masterLevel.name">
        <constraint constraintValue="SFC" constraintType="EQUALS"/>
    </mapping>
    <mapping key="info.Level.Levelonevalue">
        <constraint constraintValue="0.0" constraintType="EQUALS"/>
    </mapping>
</metadataMap>
<alertParser xsi:type="dataCubeAlertMessageParser"/>
</resourceData>
</resource>
<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>
    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
        <metadataMap>
            <mapping key="info.parameter.abbreviation">
                <constraint constraintValue="dZ" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.datasetId">
                <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Leveltwovalue">
                <constraint constraintValue="500.0" constraintType="EQUALS"/>
            </mapping>
            <mapping key="pluginName">
                <constraint constraintValue="grid" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.masterLevel.name">
                <constraint constraintValue="MB" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Levelonevalue">
                <constraint constraintValue="1000.0" constraintType="EQUALS"/>
            </mapping>

```

```

        </metadataMap>
        <alertParser xsi:type="dataCubeAlertMessageParser"/>
    </resourceData>
</resource>
<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>
    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
        <metadataMap>
            <mapping key="info.parameter.abbreviation">
                <constraint constraintValue="GH" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.datasetId">
                <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Leveltwovalue">
                <constraint constraintValue="-999999" constraintType="EQUALS"/>
            </mapping>
            <mapping key="pluginName">
                <constraint constraintValue="grid" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.masterLevel.name">
                <constraint constraintValue="MB" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Levelonevalue">
                <constraint constraintValue="700.0" constraintType="EQUALS"/>
            </mapping>
        </metadataMap>
        <alertParser xsi:type="dataCubeAlertMessageParser"/>
    </resourceData>
</resource>
<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>

```

```

        <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
            <metadataMap>
                <mapping key="info.parameter.abbreviation">
                    <constraint constraintValue="RH" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.datasetId">
                    <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.Level.Leveltwovalue">
                    <constraint constraintValue="500.0" constraintType="EQUALS"/>
                </mapping>
                <mapping key="pluginName">
                    <constraint constraintValue="grid" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.Level.masterLevel.name">
                    <constraint constraintValue="MB" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.Level.Levelonevalue">
                    <constraint constraintValue="1000.0" constraintType="EQUALS"/>
                </mapping>
            </metadataMap>
            <alertParser xsi:type="dataCubeAlertMessageParser"/>
        </resourceData>
    </resource>
    <resource>
        <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
            <capabilities>
                <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
            </capabilities>
            <resourceType>PLAN_VIEW</resourceType>
        </loadProperties>
        <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
            <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
        </properties>
        <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isQueryNecessaryOnTimeMatch="true">
            <metadataMap>
                <mapping key="info.parameter.abbreviation">
                    <constraint constraintValue="PVV" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.datasetId">
                    <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
                </mapping>
                <mapping key="info.Level.Leveltwovalue">
                    <constraint constraintValue="-999999" constraintType="EQUALS"/>
                </mapping>
                <mapping key="pluginName">
                    <constraint constraintValue="grid" constraintType="EQUALS"/>
                </mapping>

```

```

        </mapping>
        <mapping key="info.Level.masterLevel.name">
            <constraint constraintValue="MB" constraintType="EQUALS"/>
        </mapping>
        <mapping key="info.Level.Levelonevalue">
            <constraint constraintValue="700.0" constraintType="EQUALS"/>
        </mapping>
    </metadataMap>
    <alertParser xsi:type="dataCubeAlertMessageParser"/>
</resourceData>
</resource>
<resource>
    <loadProperties xsi:type="gridLoadProperties" displayType="CONTOUR" loadWithoutData="false">
        <capabilities>
            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true" outlineWidth="1"/>
        </capabilities>
        <resourceType>PLAN_VIEW</resourceType>
    </loadProperties>
    <properties isSystemResource="false" isBlinking="false" isMapLayer="false" isHoverOn="false" isVisible="false">
        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0"/>
    </properties>
    <resourceData xsi:type="gridResourceData" retrieveData="true" isUpdatingOnMetadataOnly="false"
isRequeryNecessaryOnTimeMatch="true">
        <metadataMap>
            <mapping key="info.parameter.abbreviation">
                <constraint constraintValue="${TP}" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.datasetId">
                <constraint constraintValue="${modelName}" constraintType="EQUALS"/>
            </mapping>
            <mapping key="pluginName">
                <constraint constraintValue="grid" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.masterLevel.name">
                <constraint constraintValue="SFC" constraintType="EQUALS"/>
            </mapping>
            <mapping key="info.Level.Levelonevalue">
                <constraint constraintValue="0.0" constraintType="EQUALS"/>
            </mapping>
        </metadataMap>
        <alertParser xsi:type="dataCubeAlertMessageParser"/>
    </resourceData>
</resource>
<timeMatcher xsi:type="d2DTimeMatcher" deltaFilter="0" forecastFilter="0"/>
<numberOfFrames>${frameCount}</numberOfFrames>
</descriptor>
</displays>
</displayList>
</bundle>

```

/awips2/cave/etc/bundles/StationPlot.xml

Localization Perspective: CAVE▶Bundles▶StationPlot.xml

(Slide 9)

```
<bundle>
    <displayList>
        <displays xsi:type="d2DMapRenderableDisplay"
            xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
            <descriptor xsi:type="mapDescriptor" currentAnimationMode="Temporal">
                <resource>
                    <loadProperties>
                        <capabilities>
                            <capability xsi:type="outlineCapability" lineStyle="SOLID" outlineOn="true"
                                outlineWidth="1" />
                            <capability xsi:type="colorableCapability" colorAsString="#9b9b9b" />
                        </capabilities>
                        <resourceType>PLAN_VIEW</resourceType>
                    </loadProperties>
                    <properties isSystemResource="false" isBlinking="false" isMapLayer="true" isHoverOn="false"
                        isVisible="true">
                        <pdProps maxDisplayWidth="100000000" minDisplayWidth="0" />
                    </properties>
                    <resourceData xsi:type="spiResourceData" pixelSizeHint="45">
                        <filename>basemaps/MTR.spi</filename>
                        <mapName>METAR Station Locations</mapName>
                    </resourceData>
                </resource>
                <resource>
                    <loadProperties loadWithoutData="true">
                        <capabilities>
                            </capabilities>
                    </loadProperties>
                    <properties isSystemResource="false" isBlinking="false"
                        isMapLayer="false" isHoverOn="false"
                        isVisible="true" />
                    <resourceData xsi:type="plotResourceData" plotSource="METAR Plot"
                        plotModelFile="stdObsDesign.svg" spiFile="basemaps/MTR.spi"
                        isUpdatingOnMetadataOnly="true" retrieveData="false"
                        isQueryNecessaryOnTimeMatch="true" pixelSizeHint="45">
                        <binOffset posOffset="1800" negOffset="1800" virtualOffset="0"/>
                        <metadataMap>
                            <mapping key="reportType">
                                <constraint constraintValue="METAR" constraintType="EQUALS" />
                            </mapping>
                        </metadataMap>
                    </resourceData>
                </resource>
            </descriptor>
        </displays>
    </displayList>
</bundle>
```

```
        </mapping>
        <mapping key="pluginName">
            <constraint constraintValue="obs" constraintType="EQUALS" />
        </mapping>
    </metadataMap>
</resourceData>
</resource>
</descriptor>
</displays>
</displayList>
</bundle>
```

/awips2/cave/etc/plotModels/stdObsDesign.svg

Localization Perspective: D2D► Plot Models► stdObsDesign.svg

(Slide 9)

```
<symbol overflow="visible" id="plotData" class="info">

    <text id="rawMETARText" plotMode="null" class="text" plotParam="rawMETAR" x="0" y="0">0</text>
    <g id="windVaneText" plotMode="barb" plotParam="windSpeed,windDir,windGust" plotUnit="kts" x="0" y="0"
transform="rotate(0,0,0)">
        <text id="windVaneText" class="arrow" x="0" y="0">0</text>
        <text id="windArrowText" class="barb" x="0" y="0">arrow</text>
        <text id="windGustText" class="text" x="0" y="32" style="text-anchor: middle">0</text>
    </g>
    <text id="chngCharText" plotMode="table" class="weather" plotLookupTable="press_change_char_lookup.txt"
plotParam="pressChangeChar" style="text-anchor: start;" x="35px" y="0">0</text>
    <text id="visText" plotMode="range" class="text" plotLookupTable="fractions_lookup.txt" plotParam="visibility"
plotUnit="mi" style="text-anchor: start;" plotFormat="%3.5f" x="0" y="10">59</text>
    <text id="pressChngText" plotMode="text" plotParam="pressChange3Hour" plotFormat="%02.0f" plotUnit="Pa"
style="text-anchor: start;" x="10px" y="0">018</text>
    <text id="dewText" plotMode="text" plotParam="DpT" plotUnit="°F" plotFormat="%3.0f" style="text-anchor: end;" x="-
10px" y="10px">59</text>
    <text id="tempText" plotMode="text" plotParam="T" plotUnit="°F" plotFormat="%3.0f" style="text-anchor: end;" x="-
10px" y="-10px">75</text>
    <text id="pressure" plotMode="text" plotParam="seaLevelPress" plotUnit="dPa" plotFormat="%5.0f" plotTrim="2"
style="text-anchor: start;" x="10px" y="-10px">018</text>
    <text id="cloudText" plotMode="table" class="special" plotFunctionTable="cloud_select.txt"
plotLookupTable="cloud_chars.txt" plotParam="skyCover" style="text-anchor: start" x="0" y="0">0</text>
    <text id="presentWxText" plotMode="recursive_translation" class="weather" plotLookupTable="wx_symbol_trans.txt"
plotParam="presWeather" style="text-anchor: end" x="-10" y="0">0</text>
    <text id="peakWind" plotMode="text" plotParam="pkwndSpeed" plotUnit="kts" plotFormat="PK%.0f"
style="text-anchor: end;" x="-10px" y="20px">59</text>
</symbol>
</defs>
<use id="wind" x="40" y="40" width="80" height="80" visibility="visible" xlink:href="#plotData"/>
</svg>
```

Excerpt from d2dContourStyleRules.xml

Localization Perspective: CAVE ▶ Style Rules ▶ d2dContourStyleRules.xml

(Slide 10)

```
<!--
 * GH, GHxSM, Topo, Surface
 m | 1.0 | 0.0 | 4 | i4 | ..|8000F0FF| | 12 |   1 100 200 300 500 700 1000 1500 2000 2500 3000 3500
-->
<styleRule>
  <paramLevelMatches>
    <parameter>GH</parameter>
    <parameter>GHxSM</parameter>
    <singleLevel units="SURFACE" />
  </paramLevelMatches>
  <contourStyle>
    <displayUnits>m</displayUnits>
    <contourLabeling labelSpacing="4" labelFormat="#">
      <values>1 100 200 300 500 700 1000 1500 2000 2500 3000 3500</values>
    </contourLabeling>
  </contourStyle>
</styleRule>
<styleRule>
```

Excerpt from gridImageryStyleRules.xml

Localization Perspective: CAVE ▶ Style Rules ▶ gridImageryStyleRules.xml
(Slide 10)

```
<!--
  * dZ, 1000MB-500MB, 700MB-300MB
  dam | 0.1 | 0.0 | 450 | 590 | | 29 | 0 | 30
-->
<styleRule>
  <paramLevelMatches>
    <parameter>dZ</parameter>
    <singleLevel units="MB">
      <value>1000500</value>
    </singleLevel>
    <singleLevel units="MB">
      <value> 700300</value>
    </singleLevel>
  </paramLevelMatches>
  <imageStyle>
    <displayUnits>dam</displayUnits>
    <range scale="LINEAR">
      <minValue>450</minValue>
      <maxValue>590</maxValue>
    </range>
    <defaultColormap>Grid/gridded data</defaultColormap>
    <colorbarLabeling>
      <increment>30</increment>
    </colorbarLabeling>
  </imageStyle>
</styleRule>
```

Excerpt from radarImageryStyleRules.xml

Localization Perspective: CAVE ▶ Style Rules ▶ radarImageryStyleRules.xml

(Slide 10)

```
<styleRule>
    <paramLevelMatches>
        <parameter>99</parameter>
        <parameter>301</parameter>
        <parameter>154</parameter>
        <parameter>182</parameter>
    </paramLevelMatches>
    <imageStyle>
        <displayUnits>kts</displayUnits>
        <defaultColormap>Radar/8 bit Vel</defaultColormap>
        <dataMapping>
            <entry pixelValue="1" sample="RF" label="RF" />
            <entry displayValue=' -247.0' pixelValue='2' label="" />
            <entry displayValue=' -100.0' pixelValue='26' />
            <entry displayValue=' -80.0' />
            <entry displayValue=' -60.0' />
            <entry displayValue=' -45.0' />
            <entry displayValue=' -20.0' />
            <entry displayValue=' 0.0' />
            <entry displayValue=' 20.0' />
            <entry displayValue=' 45.0' />
            <entry displayValue=' 60.0' />
            <entry displayValue=' 80.0' />
            <entry displayValue=' 100.0' pixelValue='232' />
            <entry displayValue=' 245.0' pixelValue='255' label="" />
        </dataMapping>
    </imageStyle>
</styleRule>
```

```
    </imageStyle>
</styleRule>
```